



GSDMD N-terminal mouse mAb

Catalog No	BYmab-12523
lsotype	lgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	GSDMD
Protein Name	Gasdermin domain-containing protein 1,Gasdermin-D,GSDMD,GSDMD-CT,GSDMD-NT,GSDMD_HUMAN
Immunogen	Synthesized peptide derived from human GSDMD. AA range:1-100
Specificity	The antibody detects endogenous full lenth and n-ternal fragment of gsdmd protein,
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	36 55kD
Cell Pathway	[Gasdermin-D]: Cytoplasm, cytosol . Inflammasome . In response to a canonical inflammasome stimulus, such as nigericin, recruited to NLRP3 inflammasone with similar kinetics to that of uncleaved CASP1 precursor; [Gasdermin-D, N-terminal]: Cell membrane ; Multi-pass membrane protein . Secreted . Released in the extracellular milieu following pyroptosis; [Gasdermin-D, C-terminal]: Cytoplasm, cytosol .
Tissue Specificity	Expressed in the suprabasal cells of esophagus, as well as in the isthmus/neck, pit, and gland of the stomach, suggesting preferential expression in differentiating cells.
Function	Cleavage at Asp-275 by CASP1 (mature and uncleaved precursor forms), CASP4, CASP5 or CASP8 relieves autoinhibition and is sufficient to initiate pyroptosis (PubMed:26375003, PubMed:29898893, PubMed:32109412). Cleavage by CASP1 and CASP4 is not strictly dependent on the consensus cleavage site on GSDMD but depends on an exosite interface on CASP1 that recognizes and binds the Gasdermin-D, C-terminal (GSDMD-CT) part
	Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商

精准的 WB 检测服务 24H 在线服务, 欢迎咨询

	(PubMed:32109412). Cleavage by CASP8 takes place following inactivation of MAP3K7/TAK1 by Yersinia toxin YopJ (By similarity). Cleavage at Asp-87 by CASP3 or CAPS7 inactivates the ability to mediate pyroptosis (PubMed:28392147, PubMed:28045099).
Background	
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using GSDMD N-terminal mouse mAb

Nanjing BYabscience technology Co.,Ltd