



Encephalopsin Monoclonal Antibody

Catalog No	BYmab-13213
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	OPN3
Protein Name	Opsin-3
Immunogen	The antiserum was produced against synthesized peptide derived from human Encephalopsin. AA range:161-210
Specificity	Encephalopsin Monoclonal Antibody detects endogenous levels of Encephalopsin protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	OPN3; ECPN; Opsin-3; Encephalopsin; Panopsin
Observed Band	45kD
Cell Pathway	Cell membrane ; Multi-pass membrane protein . Cytoplasm .
Tissue Specificity	Expressed in tracheal airway smooth muscle (at protein level) (PubMed:30284927). Expressed throughout the epidermis and dermis, predominantly in the basal layer on the facial and abdominal skin (at protein level) (PubMed:30168605). Expressed in dermal fibroblasts (at protein level) (PubMed:31380578). Expressed in melanocytes (at protein level) (PubMed:28842328, PubMed:31097585, PubMed:31730232). Expressed in keratinocytes (PubMed:28842328). Expressed in the retina (PubMed:30284927).
Function	function:May play a role in encephalic photoreception.,similarity:Belongs to the G-protein coupled receptor 1 family.,similarity:Belongs to the G-protein coupled receptor 1 family. Opsin subfamily.,tissue specificity:Strongly expressed in brain. Highly expressed in the preoptic area and paraventricular nucleus of the hypothalamus. Shows highly patterned expression in other regions of the brain, being enriched in selected regions of the cerebral cortex, cerebellar Purkinje cells,

Nanjing BYabscience technology Co.,Ltd



a subset of striatal neurons, selected thalamic nuclei, and a subset of interneurons in the ventral horn of the spinal cord.,

Background

Opsins are members of the guanine nucleotide-binding protein (G protein)-coupled receptor superfamily. In addition to the visual opsins, mammals possess several photoreceptive non-visual opsins that are expressed in extraocular tissues. This gene, opsin 3, is strongly expressed in brain and testis and weakly expressed in liver, placenta, heart, lung, skeletal muscle, kidney, and pancreas. The gene may also be expressed in the retina. The protein has the canonical features of a photoreceptive opsin protein. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Encephalopsin Monoclonal Antibody