



GPRC5D Monoclonal Antibody

Catalog No	BYmab-13357
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	GPRC5D
Protein Name	G-protein coupled receptor family C group 5 member D
Immunogen	The antiserum was produced against synthesized peptide derived from human GPRC5D. AA range:271-320
Specificity	GPRC5D Monoclonal Antibody detects endogenous levels of GPRC5D protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Storage Stability Synonyms	-20°C/1 year GPRC5D; G-protein coupled receptor family C group 5 member D
	·
Synonyms	GPRC5D; G-protein coupled receptor family C group 5 member D
Synonyms Observed Band	GPRC5D; G-protein coupled receptor family C group 5 member D 43kD
Synonyms Observed Band Cell Pathway	 GPRC5D; G-protein coupled receptor family C group 5 member D 43kD Cell membrane ; Multi-pass membrane protein . Widely expressed in the peripheral system. Expression pattern is high in pancreas, medium in kidney, small intestine, spleen and testis, low in lung, colon, leukocyte, prostate and thymus and not detectable in brain, heart, liver, placenta,
Synonyms Observed Band Cell Pathway Tissue Specificity	 GPRC5D; G-protein coupled receptor family C group 5 member D 43kD Cell membrane ; Multi-pass membrane protein . Widely expressed in the peripheral system. Expression pattern is high in pancreas, medium in kidney, small intestine, spleen and testis, low in lung, colon, leukocyte, prostate and thymus and not detectable in brain, heart, liver, placenta, skeletal muscle and ovary. function:Unknown.,similarity:Belongs to the G-protein coupled receptor 3 family.,tissue specificity:Widely expressed in the peripheral system. Expression pattern is high in pancreas, medium in kidney, small intestine, spleen and testis, low in lung, colon, leukocyte, prostate and thymus and not detectable in brain, heart, liver, placenta, skeletal muscle and ovary.






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using GPRC5D Monoclonal Antibody

Nanjing BYabscience technology Co., Ltd