



AIRP Monoclonal Antibody

Catalog No	BYmab-13866
lsotype	lgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	NT5C1B
Protein Name	Cytosolic 5'-nucleotidase 1B
Immunogen	The antiserum was produced against synthesized peptide derived from human NT5C1B. AA range:171-220
Specificity	AIRP Monoclonal Antibody detects endogenous levels of AIRP protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	NT5C1B; AIRP; FKSG85; Cytosolic 5'-nucleotidase 1B; cN1B; Autoimmune infertility-related protein; Cytosolic 5'-nucleotidase IB; cN-IB
Observed Band	69kD
Cell Pathway	Cytoplasm .
Tissue Specificity	Highly expressed in testis, placenta and pancreas. Detected at lower levels in heart, kidney, liver and lung.
Function	catalytic activity:A 5'-ribonucleotide + H(2)O = a ribonucleoside + phosphate.,cofactor:Magnesium.,enzyme regulation:Activated by ADP.,function:Dephosphorylates the 5' and 2'(3')-phosphates of deoxyribonucleotides. Helps to regulate adenosine levels.,function:Exhibits an oxidoreductive catalytic activity towards retinoids. Most efficient as an NADPH-dependent retinal reductase. Displays high activity toward 9-cis and all-trans-retinol. No steroid dehydrogenase activity detected.,similarity:Belongs to the 5'-nucleotidase type 3 family.,similarity:Belongs to the short-chain dehydrogenases/reductases (SDR) family.,tissue specificity:Expressed in brain, kidney, pancreas and placenta.,tissue specificity:Highly expressed in testis,

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658





Products Images		
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.	
matters needing attention	Avoid repeated freezing and thawing!	
Background	Cytosolic 5-prime nucleotidases, such as NT5C1B, catalyze production of adenosine, which regulates diverse physiologic processes (Sala-Newby and Newby, 2001 [PubMed 11690631]).[supplied by OMIM, Mar 2008],	
	placenta and pancreas. Detected at lower levels in neart, kidney, liver and lung.,	

Nanjing BYabscience technology Co.,Ltd