



## PTPα Monoclonal Antibody

	phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains an extracellular domain, a single transmembrane segment and two tandem intracytoplasmic catalytic domains, and thus represents a receptor-type PTP. This PTP has been shown to <b>Naniing BYabscience technology CoLtd</b>
Function Background	catalytic activity:Protein tyrosine phosphate + H(2)O = protein tyrosine + phosphate.,similarity:Belongs to the protein-tyrosine phosphatase family. Receptor class 4 subfamily.,similarity:Contains 2 tyrosine-protein phosphatase domains., The protein encoded by this gene is a member of the protein tyrosine
Tissue Specificity	Brain,Epithelium,Kidney,Lymph node,Skin,
Cell Pathway	Cell membrane ; Single-pass type I membrane protein . Cell junction, focal adhesion . Localizes to focal adhesion sites following integrin engagement
Observed Band	90kD
Synonyms	PTPRA; PTPA; PTPRL2; Receptor-type tyrosine-protein phosphatase alpha; Protein-tyrosine phosphatase alpha; R-PTP-alpha
Storage Stability	-20°C/1 year
Purity	≥90%
Concentration	1 mg/ml
Dilution	WB 1:500-2000
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Source	Monoclonal, Mouse,IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Specificity	PTP $\alpha$ Monoclonal Antibody detects endogenous levels of PTP $\alpha$ protein.
Immunogen	Synthesized peptide derived from PTP $\alpha_{-}$ . at AA range: 730-810
Protein Name	Receptor-type tyrosine-protein phosphatase alpha
Gene Name	PTPRA
Applications	WB
Reactivity	Human;Mouse;Rat
Isotype	lgG
Catalog No	BYmab-14967

## Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务

Шk 24H 在线服务,欢迎咨询

	dephosphorylate and activate Src family tyrosine kinases, and is implicated in the regulation of integrin signaling, cell adhesion and proliferation. Three alternatively spliced variants of this gene, which encode two distinct isoforms, have been reported. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.
Products Images	

Nanjing BYabscience technology Co.,Ltd