



## SgK269 Monoclonal Antibody

| Catalog No         | BYmab-14986  |  |  |
|--------------------|--|--|--|
| Isotype            | lgG  |  |  |
| Reactivity         | Human;Rat;Mouse;   |  |  |
| Applications       | WB   |  |  |
| Gene Name          | PEAK1  |  |  |
| Protein Name       | Pseudopodium-enriched atypical kinase 1  |  |  |
| Immunogen          | The antiserum was produced against synthesized peptide derived from human SGK269. AA range:111-160   |  |  |
| Specificity        | SgK269 Monoclonal Antibody detects endogenous levels of SgK269 protein.  |  |  |
| Formulation        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |  |  |
| Source             | Monoclonal, Mouse,IgG  |  |  |
| Purification       | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.   |  |  |
| Dilution           | WB 1:500-2000  |  |  |
| Concentration      | 1 mg/ml  |  |  |
| Purity             | ≥90%   |  |  |
| Storage Stability  | -20°C/1 year   |  |  |
| Synonyms           | PEAK1; KIAA2002; Pseudopodium-enriched atypical kinase 1; Sugen kinase 269;<br>Tyrosine-protein kinase SgK269  |  |  |
| Observed Band      | 195kD  |  |  |
| Cell Pathway       | Cytoplasm, cytoskeleton . Cell junction, focal adhesion . Colocalizes with F-actin in serum-rich medium (PubMed:20534451). Actin colocalization is reduced during serum starvation (PubMed:20534451)   |  |  |
| Tissue Specificity | Brain,Epithelium,Lung,Mesangial cell,Smooth muscle,Spleen,   |  |  |
| Function           | catalytic activity:ATP + a [protein]-L-tyrosine = ADP + a [protein]-L-tyrosine<br>phosphate.,similarity:Belongs to the protein kinase<br>superfamily.,similarity:Contains 1 protein kinase domain.,  |  |  |
| Background         | This gene encodes a non-receptor tyrosine kinase that is a member of the new kinase family three (NFK3) family. In migrating cells, the encoded protein is associated with the actin cytoskeleton and focal adhesions and promotes developing focal adhesion elongation. This protein may play a role in the regulation of cell migration, proliferation and cancer metastasis. [provided by |  |  |
|                    |  |  |  |

## Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



| RefSeq, Mar 2014],        |   |  |  |  |  |
|---------------------------|---|--|--|--|--|
| matters needing attention | Avoid repeated freezing and thawing!  |  |  |  |  |
| Usage suggestions         | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |  |  |  |  |
| Products Images           |   |  |  |  |  |
| SGK269                    | 3T3   | 250<br>150<br>75<br>50<br>37<br>25<br>20<br>15<br>(kd) | Western Blot analysis of various cells using SgK269<br>Monoclonal Antibody |  |  |

Nanjing BYabscience technology Co.,Ltd