



BRD3 Monoclonal Antibody

Catalog NoBYmab-16665IsotypeIgGReactivityHuman;MouseApplicationsWBGene NameBRD3Protein NameBromodomain-containing protein 3ImmunogenThe antiserum was produced against synthesized peptide derived from hum BRD3. AA range:611-660
Reactivity Human; Mouse Applications WB Gene Name BRD3 Protein Name Bromodomain-containing protein 3 Immunogen The antiserum was produced against synthesized peptide derived from hum BRD3. AA range:611-660
Applications WB Gene Name BRD3 Protein Name Bromodomain-containing protein 3 Immunogen The antiserum was produced against synthesized peptide derived from hum BRD3. AA range:611-660
Gene Name BRD3 Protein Name Bromodomain-containing protein 3 Immunogen The antiserum was produced against synthesized peptide derived from hum BRD3. AA range:611-660
Protein Name Bromodomain-containing protein 3 Immunogen The antiserum was produced against synthesized peptide derived from hum BRD3. AA range:611-660
Immunogen The antiserum was produced against synthesized peptide derived from hum BRD3. AA range:611-660
BRD3. AA range:611-660
Specificity BRD3 Monoclonal Antibody detects endogenous levels of BRD3 protein.
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source Monoclonal, Mouse,IgG
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution WB 1:500-2000
Concentration 1 mg/ml
Purity ≥90%
Storage Stability -20°C/1 year
Synonyms BRD3; KIAA0043; RING3L; Bromodomain-containing protein 3; RING3-like protein
Observed Band 90kD
Cell Pathway Nucleus . Detected on chromatin
Tissue Specificity Ubiquitous.
Function disease:A chromosomal aberration involving BRD3 is found in a rare, aggreand lethal carcinoma arising in midline organs of young people. Translocation t(15;9)(q14;q34) with NUT which produces a BRD3-NUT fusion protein.,similarity:Contains 2 bromo domains.,tissue specificity:Ubiquitous.,
Background This gene was identified based on its homology to the gene encoding the F protein, a serine/threonine kinase. The gene localizes to 9q34, a region which contains several major histocompatibility complex (MHC) genes. The function the encoded protein is not known. [provided by RefSeq, Jul 2008],

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using BRD3 Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd