



## Cdc7 Monoclonal Antibody

Specificity       CDC7. AA range:1-50         Specificity       Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse,IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,		
Reactivity Human;Rat;Mouse;  Applications WB  Gene Name CDC7  Protein Name Cell division cycle 7-related protein kinase  Immunogen The antiserum was produced against synthesized peptide derived from human CDC7. AA range:1-50 Specificity Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Monoclonal, Mouse,IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90% Storage Stability -20°C/1 year  Synonyms CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7  Observed Band 70kD  Cell Pathway Nucleus.  Tissue Specificity Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Catalog No	BYmab-16691
Applications  Gene Name  CDC7  Protein Name  Cell division cycle 7-related protein kinase  Immunogen  The antiserum was produced against synthesized peptide derived from human CDC7. AA range:1-50  Specificity  Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.  Formulation  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source  Monoclonal, Mouse, IgG  Purification  The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution  WB 1:500-2000  Concentration  1 mg/ml  Purity  ≥90%  Storage Stability  -20°C/1 year  Synonyms  CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7  Observed Band  70kD  Cell Pathway  Nucleus.  Tissue Specificity  Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Isotype	IgG
Gene Name       CDC7         Protein Name       Cell division cycle 7-related protein kinase         Immunogen       The antiserum was produced against synthesized peptide derived from human CDC7. AA range:1-50         Specificity       Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse,lgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Reactivity	Human;Rat;Mouse;
Protein Name       Cell division cycle 7-related protein kinase         Immunogen       The antiserum was produced against synthesized peptide derived from human CDC7. AA range:1-50         Specificity       Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse,IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Applications	WB
Immunogen       The antiserum was produced against synthesized peptide derived from human CDC7. AA range:1-50         Specificity       Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse, lgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Gene Name	CDC7
Specificity       CDC7. AA range:1-50         Specificity       Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse,IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Protein Name	Cell division cycle 7-related protein kinase
Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse, IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Immunogen	The antiserum was produced against synthesized peptide derived from human CDC7. AA range:1-50
Source       Monoclonal, Mouse, IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Specificity	Cdc7 Monoclonal Antibody detects endogenous levels of Cdc7 protein.
Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7  Observed Band 70kD  Cell Pathway Nucleus.  Tissue Specificity Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Source	Monoclonal, Mouse,IgG
Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Purification	
Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Dilution	WB 1:500-2000
Storage Stability       -20°C/1 year         Synonyms       CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7         Observed Band       70kD         Cell Pathway       Nucleus.         Tissue Specificity       Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Concentration	1 mg/ml
Synonyms CDC7; CDC7L1; Cell division cycle 7-related protein kinase; CDC7-related kinase; HsCdc7; huCdc7 Observed Band 70kD Cell Pathway Nucleus. Tissue Specificity Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Purity	≥90%
kinase; HsCdc7; huCdc7  Observed Band 70kD  Cell Pathway Nucleus.  Tissue Specificity Brain,Embryonal rhabdomyosarcoma,Liver,Testis,	Storage Stability	-20°C/1 year
Cell Pathway Nucleus.  Tissue Specificity Brain, Embryonal rhabdomyosarcoma, Liver, Testis,	Synonyms	·
Tissue Specificity Brain, Embryonal rhabdomyosarcoma, Liver, Testis,	Observed Band	70kD
	Cell Pathway	Nucleus.
Francisco de la companya del companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la companya del companya de la companya del companya de la co	Tissue Specificity	Brain, Embryonal rhabdomyosarcoma, Liver, Testis,
+ a protein = ADP + a phosphoprotein.,cofactór:Magnesium.,function:Seems phosphorylate critical substrates that regulate the G1/S phase transition and/DNA replication. Can phosphorylates MCM2 and MCM3.,similarity:Belongs to protein kinase superfamily.,similarity:Belongs to the protein kinase superfamily.Selongs to the protein kinase superfamily.CDC7 subfamily.,similarity:Contains 1 protein	Function	kinase domain.,subunit:Forms a complex with either DBF4/DBF4A or DBF4B,

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Background	This gene encodes a cell division cycle protein with kinase activity that is critical for the G1/S transition. The yeast homolog is also essential for initiation of DNA replication as cell division occurs. Overexpression of this gene product may be associated with neoplastic transformation for some tumors. Multiple alternatively spliced transcript variants that encode the same protein have been detected. [provided by RefSeq, Aug 2008],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658