



Claudin-6 (phospho Tyr219) Monoclonal Antibody

| Catalog No | BYmab-16893 |
|--------------------|--|
| lsotype | IgG |
| Reactivity | Human;Mouse |
| Applications | WB |
| Gene Name | CLDN6 |
| Protein Name | Claudin-6 |
| Immunogen | The antiserum was produced against synthesized peptide derived from human Claudin 6 around the phosphorylation site of Tyr219. AA range:171-220 |
| Specificity | Phospho-Claudin-6 (Y219) Monoclonal Antibody detects endogenous levels of Claudin-6 protein only when phosphorylated at Y219. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | CLDN6; Claudin-6; Skullin |
| Observed Band | 23kD |
| Cell Pathway | Cell junction, tight junction . Cell membrane ; Multi-pass membrane protein . |
| Tissue Specificity | Expressed in the liver, in peripheral blood mononuclear cells and hepatocarcinoma cell lines. |
| Function | function:Plays a major role in tight junction-specific obliteration of the intercellular space.,similarity:Belongs to the claudin family.,subunit:Directly interacts with TJP1/ZO-1, TJP2/ZO-2 and TJP3/ZO-3., |
| Background | Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet, with complementary grooves in the inwardly facing extracytoplasmic leaflet. This gene encodes a component of tight junction strands, which is a member of the claudin |
| | Noniin y DVahasian as tashu alamu Calltal |


Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务, 欢迎咨询

| | family. The protein is an integral membrane protein and is one of the entry cofactors for hepatitis C virus. The gene methylation may be involved in esophageal tumorigenesis. This gene is adjacent to another family member CLDN9 on chromosome 16.[provided by RefSeq, Aug 2010], |
|---------------------------|--|
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |
| | |



Nanjing BYabscience technology Co.,Ltd