



Claudin-11 Monoclonal Antibody

Catalog No	BYmab-16954
Isotype	lgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	CLDN11
Protein Name	Claudin-11
Immunogen	The antiserum was produced against synthesized peptide derived from human Claudin 11. AA range:158-207
Specificity	Claudin-11 Monoclonal Antibody detects endogenous levels of Claudin-11 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	CLDN11; OSP; OTM; Claudin-11; Oligodendrocyte-specific protein
Observed Band	20kD
Cell Pathway	Cell junction, tight junction. Cell membrane ; Multi-pass membrane protein .
Tissue Specificity	Lung,Spinal cord,
Function	function:Plays a major role in tight junction-specific obliteration of the intercellular space, through calcium-independent cell-adhesion activity.,similarity:Belongs to the claudin family.,subunit:Interacts with tetraspanin-3/TSPAN3.,
Background	This gene encodes a member of the claudin family. Claudins are integral membrane proteins and components of tight junction strands. Tight junction strands serve as a physical barrier to prevent solutes and water from passing freely through the paracellular space between epithelial or endothelial cell sheets and also play critical roles in maintaining cell polarity and signal transductions. The protein encoded by this gene is a major component of central nervous syster (CNS) myelin and plays an important role in regulating proliferation and migration

Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商


精准的 WB 检测服务



24H 在线服务, 欢迎咨询

	of oligodendrocytes. Mouse studies showed that the gene deficiency results in deafness and loss of the Sertoli cell epithelial phenotype in the testis. This protein is a tight junction protein at the human blood-testis barrier (BTB), and the BTB disruption is related to a dysfunction of this gene. Alternatively spliced transcript variants encoding different iso
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Claudin-11 Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd