



WNT2B mouse mAb

Catalog No	BYmab-17268
Isotype	IgG
Reactivity	Human, Mouse
Applications	WB
Gene Name	WNT2B WNT13
Protein Name	Protein Wnt-2b (Protein Wnt-13)
Immunogen	Synthesized peptide derived from human N-ternal WNT2B
Specificity	This antibody detects endogenous levels of WNT2B at Human, Mouse
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Mouse, Monoclonal
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Storage Stability Synonyms	-20°C/1 year Protein Wnt-2b (Protein Wnt-13)
	·
Synonyms	•
Synonyms Observed Band	Protein Wnt-2b (Protein Wnt-13) Secreted, extracellular space, extracellular matrix. Secreted. Isoform 1 is expressed in adult heart, brain, placenta, lung, prostate, testis, ovary, small intestine and colon. In the adult brain, it is mainly found in the caudate
Synonyms Observed Band Cell Pathway	Protein Wnt-2b (Protein Wnt-13) Secreted, extracellular space, extracellular matrix. Secreted. Isoform 1 is expressed in adult heart, brain, placenta, lung, prostate, testis, ovary, small intestine and colon. In the adult brain, it is mainly found in the caudate nucleus, subthalamic nucleus and thalamus. Also detected in fetal brain, lung and kidney. Isoform 2 is expressed in fetal brain, fetal lung, fetal kidney, caudate nucleus, testis and cancer cell lines. Ligand for members of the frizzled family of seven transmembrane receptors.
Synonyms Observed Band Cell Pathway Tissue Specificity	Protein Wnt-2b (Protein Wnt-13) Secreted, extracellular space, extracellular matrix. Secreted. Isoform 1 is expressed in adult heart, brain, placenta, lung, prostate, testis, ovary, small intestine and colon. In the adult brain, it is mainly found in the caudate nucleus, subthalamic nucleus and thalamus. Also detected in fetal brain, lung and kidney. Isoform 2 is expressed in fetal brain, fetal lung, fetal kidney, caudate nucleus, testis and cancer cell lines. Ligand for members of the frizzled family of seven transmembrane receptors. Functions in the canonical Wnt/beta-catenin signaling pathway. Plays a redundant
Synonyms Observed Band Cell Pathway Tissue Specificity Function	Protein Wnt-2b (Protein Wnt-13) Secreted, extracellular space, extracellular matrix. Secreted. Isoform 1 is expressed in adult heart, brain, placenta, lung, prostate, testis, ovary, small intestine and colon. In the adult brain, it is mainly found in the caudate nucleus, subthalamic nucleus and thalamus. Also detected in fetal brain, lung and kidney. Isoform 2 is expressed in fetal brain, fetal lung, fetal kidney, caudate nucleus, testis and cancer cell lines. Ligand for members of the frizzled family of seven transmembrane receptors. Functions in the canonical Wnt/beta-catenin signaling pathway. Plays a redundant

Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd