



KLHL20 mouse mAb

Catalog No	BYmab-17918
Isotype	lgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	KLHL20 KLEIP
Protein Name	Kelch-like protein 20 (Kelch-like ECT2-interacting protein) (Kelch-like protein X)
Immunogen	Synthesized peptide derived from human KLHL20
Specificity	This antibody detects endogenous levels of KLHL20 at Human, Mouse,Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	67kD
Cell Pathway	Cytoplasm, perinuclear region. Nucleus. Golgi apparatus, trans-Golgi network. Cell projection, axon . Cell projection, dendrite . Localizes in the perinuclear region in normal conditions. Following IFN-alpha or IFN-gamma treatment, it is relocalized and sequestrated to the PML nuclear bodies, preventing DAPK1 ubiquitination (PubMed:20389280)
Tissue Specificity	
Function	Substrate-specific adapter of a BCR (BTB-CUL3-RBX1) E3 ubiquitin-protein ligase complex involved in interferon response and anterograde Golgi to endosome transport. The BCR(KLHL20) E3 ubiquitin ligase complex mediates the ubiquitination of DAPK1, leading to its degradation by the proteasome, thereby acting as a negative regulator of apoptosis. The BCR(KLHL20) E3 ubiquitin ligase complex also specifically mediates 'Lys-33'-linked ubiquitination . Involved in anterograde Golgi to endosome transport by mediating 'Lys-33'-linked ubiquitination of CORO7, promoting interaction between CORO7 and EPS15, thereby facilitating actin polymerization and post-Golgi trafficking. Also acts as a
	Nanjing BYabscience technology Co.,Ltd

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务,欢迎咨询

Products Images		
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.	
matters needing attention	Avoid repeated freezing and thawing!	
Background		
	regulator of endothelial migration during angiogenesis by controlling the activation of Rho GTPases. The BCR(KLHL20) E3 ubiquitin ligase complex acts as a regulator of neurite outgrowth by mediating ubiquitina	

Nanjing BYabscience technology Co.,Ltd