



REDD1 mouse mAb

Catalog No	BYmab-17947
Isotype	lgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	DDIT4 REDD1 RTP801
Protein Name	DNA damage-inducible transcript 4 protein (HIF-1 responsive protein RTP801) (Protein regulated in development and DNA damage response 1) (REDD-1)
Immunogen	Synthesized peptide derived from human REDD1
Specificity	This antibody detects endogenous levels of REDD1 at Human, Mouse,Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
Concentration Purity Storage Stability	1 mg/ml ≥90% -20°C/1 year
Concentration Purity Storage Stability Synonyms	1 mg/ml ≥90% -20°C/1 year
Concentration Purity Storage Stability Synonyms Observed Band	1 mg/ml ≥90% -20°C/1 year 26kD
Concentration Purity Storage Stability Synonyms Observed Band Cell Pathway	1 mg/ml ≥90% -20°C/1 year 26kD Mitochondrion . Cytoplasm, cytosol .
Concentration Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	1 mg/ml ≥90% -20°C/1 year 26kD Mitochondrion . Cytoplasm, cytosol . Broadly expressed, with lowest levels in brain, skeletal muscle and intestine. Up-regulated in substantia nigra neurons from Parkinson disease patients (at protein level).

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658





	differentiation and neurite outgrowth mediated by NGF via its effect on mTORC1 activity. Required for normal neuron migr
Background	
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.
Products Images	

Nanjing BYabscience technology Co.,Ltd