



# CSRNP3 Polyclonal Antibody

|                           |                                                                                                                                                                                                                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Catalog No</b>         | BYab-00362                                                                                                                                                                                                                                                                        |
| <b>Isotype</b>            | IgG                                                                                                                                                                                                                                                                               |
| <b>Reactivity</b>         | Human;Mouse;Monkey                                                                                                                                                                                                                                                                |
| <b>Applications</b>       | WB;ELISA                                                                                                                                                                                                                                                                          |
| <b>Gene Name</b>          | CSRNP3                                                                                                                                                                                                                                                                            |
| <b>Protein Name</b>       | Cysteine/serine-rich nuclear protein 3                                                                                                                                                                                                                                            |
| <b>Immunogen</b>          | The antiserum was produced against synthesized peptide derived from human TAIP-2. AA range:171-220                                                                                                                                                                                |
| <b>Specificity</b>        | CSRNP3 Polyclonal Antibody detects endogenous levels of CSRNP3 protein.                                                                                                                                                                                                           |
| <b>Formulation</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.                                                                                                                                                                                                           |
| <b>Source</b>             | Polyclonal, Rabbit,IgG                                                                                                                                                                                                                                                            |
| <b>Purification</b>       | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.                                                                                                                                                             |
| <b>Dilution</b>           | Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.                                                                                                                                                                                               |
| <b>Concentration</b>      | 1 mg/ml                                                                                                                                                                                                                                                                           |
| <b>Purity</b>             | ≥90%                                                                                                                                                                                                                                                                              |
| <b>Storage Stability</b>  | -20°C/1 year                                                                                                                                                                                                                                                                      |
| <b>Synonyms</b>           | CSRNP3; FAM130A2; TAIP2; Cysteine/serine-rich nuclear protein 3; CSRNP-3; Protein FAM130A2; TGF-beta-induced apoptosis protein 2; TAIP-2                                                                                                                                          |
| <b>Observed Band</b>      | 64kD                                                                                                                                                                                                                                                                              |
| <b>Cell Pathway</b>       | Nucleus .                                                                                                                                                                                                                                                                         |
| <b>Tissue Specificity</b> | Embryo,Thymus,                                                                                                                                                                                                                                                                    |
| <b>Function</b>           | function:Binds to the consensus sequence 5'-AGAGTG-3' and has transcriptional activator activity. Plays a role in apoptosis.,sequence caution:Unusual initiator. The initiator methionine is coded by a non-canonical CTG leucine codon.,similarity:Belongs to the AXUD1 family., |
| <b>Background</b>         | function:Binds to the consensus sequence 5'-AGAGTG-3' and has transcriptional activator activity. Plays a role in apoptosis.,sequence caution:Unusual initiator. The initiator methionine is coded by a non-canonical CTG leucine codon.,similarity:Belongs to the AXUD1 family., |

**Nanjing BYabscience technology Co.,Ltd**




**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western blot analysis of the lysates from HepG2 cells using TAIP-2 antibody.