



3BHS1 Polyclonal Antibody

Catalog No	BYab-05223
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	HSD3B1 3BH HSDB3A
Protein Name	3 beta-hydroxysteroid dehydrogenase/Delta 5-->4-isomerase type 1 (3 beta-hydroxysteroid dehydrogenase/Delta 5-->4-isomerase type I) (3-beta-HSD I) (Trophoblast antigen FDO161G) [Includes: 3-beta-hydro
Immunogen	Synthesized peptide derived from human protein . at AA range: 30-110
Specificity	3BHS1 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	41kD
Cell Pathway	Endoplasmic reticulum membrane; Single-pass membrane protein. Mitochondrion membrane; Single-pass membrane protein.
Tissue Specificity	Placenta and skin (PubMed:1401999). Predominantly expressed in mammary gland tissue.
Function	catalytic activity:A 3-beta-hydroxy-Delta(5)-steroid + NAD(+) = a 3-oxo-Delta(5)-steroid + NADH.,catalytic activity:A 3-oxo-Delta(5)-steroid = a 3-oxo-Delta(4)-steroid.,function:3-beta-HSD is a bifunctional enzyme, that catalyzes the oxidative conversion of Delta(5)-ene-3-beta-hydroxy steroid, and the oxidative conversion of ketosteroids. The 3-beta-HSD enzymatic system plays a crucial role in the biosynthesis of all classes of hormonal steroids.,pathway:Lipid metabolism; steroid biosynthesis.,similarity:Belongs to the 3-beta-HSD family.,tissue specificity:Placenta and skin. Predominantly expressed in mammary gland tissue.,

Nanjing BYabscience technology Co.,Ltd



Background	The protein encoded by this gene is an enzyme that catalyzes the oxidative conversion of delta-5-3-beta-hydroxysteroid precursors into delta-4-ketosteroids, which leads to the production of all classes of steroid hormones. The encoded protein also catalyzes the interconversion of 3-beta-hydroxy- and 3-keto-5-alpha-androstane steroids. [provided by RefSeq, Jun 2016],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

