



BMPER Polyclonal Antibody

Catalog No	BYab-07103
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	BMPER KIAA1965
Protein Name	BMP-binding endothelial regulator protein (Bone morphogenetic protein-binding endothelial cell precursor-derived regulator) (Protein crossveinless-2) (hCV2)
Immunogen	Synthesized peptide derived from human protein . at AA range: 440-520
Specificity	BMPER Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	75kD
Cell Pathway	Secreted .
Tissue Specificity	Highly expressed in lung, and brain and also in primary chondrocytes.
Function	function:Inhibitor of bone morphogenetic protein (BMP) function, it may regulate BMP responsiveness of osteoblasts and chondrocytes.,similarity:Contains 1 TIL (trypsin inhibitory-like) domain.,similarity:Contains 1 VWFD domain.,similarity:Contains 5 VWFC domains.,subunit:Interacts with BMP4.,tissue specificity:Highly expressed in lung, and brain and also in primary chondrocytes.,
Background	This gene encodes a secreted protein that interacts with, and inhibits bone morphogenetic protein (BMP) function. It has been shown to inhibit BMP2- and BMP4-dependent osteoblast differentiation and BMP-dependent differentiation of the chondrogenic cells. Mutations in this gene are associated with a lethal skeletal disorder, diaphanospondylodysostosis. [provided by RefSeq, Dec 2011],

Nanjing BYabs science technology Co.,Ltd



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images