



HNRPA0 (Phospho-Ser84) rabbit pAb

Catalog No	BYab-10511
Isotype	IgG
Reactivity	Human; Mouse; Rat
Applications	WB
Gene Name	HNRNPA0 HNRPA0
Protein Name	HNRPA0 (Phospho-Ser84)
Immunogen	Synthesized peptide derived from human HNRPA0 (Phospho-Ser84)
Specificity	This antibody detects endogenous levels of HNRPA0 (Phospho-Ser84) at Human, Mouse, Rat
Formulation	Liquid in PBS containing 50% glycerol, and 0.167% sodium azide.
Source	Polyclonal, Rabbit, IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Heterogeneous nuclear ribonucleoprotein A0 (hnRNP A0)
Observed Band	30kD
Cell Pathway	Nucleus . Component of ribonucleosomes. .
Tissue Specificity	Brain, Colon carcinoma, Eye, Lung, Muscle, Ovarian carcinoma, Pla
Function	function: This protein is a component of ribonucleosomes., PTM: Arg-291 is dimethylated, probably to asymmetric dimethylarginine., similarity: Contains 2 RRM (RNA recognition motif) domains., subcellular location: Component of ribonucleosomes.,
Background	This gene belongs to the A/B subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding

Nanjing BYabs science technology Co., Ltd



properties. The protein encoded by this gene has two repeats of quasi-RRM domains that bind RNAs, followed by a glycine-rich C-terminus. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of 1 HeLa cell, 2 LPS 100ng/mL 30min treated ,using primary antibody at 1:1000 dilution. Secondary antibody(catalog#:RS23920) was diluted at 1:10000