



TNFAIP8L3 Polyclonal Antibody

Catalog No	BYab-10764
Isotype	IgG
Reactivity	Human;Rat;Mouse
Applications	WB;ELISA
Gene Name	TNFAIP8L3
Protein Name	TNFAIP8L3
Immunogen	Synthesized peptide derived from human TNFAIP8L3. at AA range: 15-45
Specificity	This antibody detects endogenous levels of TNFAIP8L3
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000, ELISA 1:10000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Tumor necrosis factor alpha-induced protein 8-like protein 3 (TNF alpha-induced protein 8-like protein 3) (TNFAIP8-like protein 3)
Observed Band	33kD
Cell Pathway	Cytoplasm . Cell membrane . On PDGF activation, translocates from cytoplasm to plasma membrane. .
Tissue Specificity	Widely expressed (at protein level) (PubMed:25479791). Highly expressed in most carcinoma cell lines (PubMed:25479791, PubMed:25242044).
Function	caution:It is uncertain whether Met-1 or Met-89 is the initiator.,similarity:Belongs to the TNFAIP8 family.,
Background	caution:It is uncertain whether Met-1 or Met-89 is the initiator.,similarity:Belongs to the TNFAIP8 family.,
matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998


监督电话: 15950492658



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of 1,293T 2,mouse-brain cells using primary antibody diluted at 1:1000(4°C overnight). Secondary antibody:Goat Anti-rabbit IgG IRDye 800(diluted at 1:5000, 25°C, 1 hour)