



# TC1D4 rabbit pAb

<b>Catalog No</b>	BYab-11727
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human; Mouse
<b>Applications</b>	WB
<b>Gene Name</b>	TCTEX1D4
<b>Protein Name</b>	TC1D4
<b>Immunogen</b>	Synthesized peptide derived from human TC1D4 AA range: 43-93
<b>Specificity</b>	This antibody detects endogenous levels of TC1D4 at Human/Mouse
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1: 500-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	
<b>Cell Pathway</b>	Cell projection, cilium, flagellum . Cytoplasmic vesicle, secretory vesicle, acrosome . Cytoplasm, cytoskeleton, cilium axoneme . Cytoplasm . Nucleus . Cytoplasm, cytoskeleton, microtubule organizing center . Present along the entire length of the flagellum, including principal and endpiece, and more predominantly in the midpiece region. .
<b>Tissue Specificity</b>	Ubiquitously expressed (PubMed:16982625). Expressed in testis (at protein level) (PubMed:23789093).
<b>Function</b>	similarity:Belongs to the dynein light chain Tctex-type family.,subunit:Interacts with ENG/endoglin, TGFBR2 and TGFBR3.,tissue specificity:Ubiquitously expressed.,
<b>Background</b>	

Nanjing BYabscience technology Co.,Ltd




**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western blot analysis of lysates from MCF-7 cells, primary antibody was diluted at 1:1000, 4° over night