



MPP1 Polyclonal Antibody

Catalog No	BYab-16751
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	IF;ELISA;IHC
Gene Name	KIF20B
Protein Name	Kinesin-like protein KIF20B
Immunogen	The antiserum was produced against synthesized peptide derived from human KIF20B. AA range:1771-1820
Specificity	MPP1 Polyclonal Antibody detects endogenous levels of MPP1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	IF/ICC 1:50-300; ELISA 1:2000-20000; IHC-p 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	KIF20B; KRMP1; MPHOSPH1; Kinesin-like protein KIF20B; Cancer/testis antigen 90; CT90; Kinesin-related motor interacting with PIN1; M-phase phosphoprotein 1; MPP1
Observed Band	210kD
Cell Pathway	Nucleus . Cytoplasm, cytoskeleton, microtubule organizing center, centrosome . Nucleus, nucleolus . Nucleus, nucleoplasm . Cytoplasm, cytoskeleton, spindle . Cytoplasm, cytoskeleton, spindle pole . Midbody . Cell projection, axon . Cell projection, growth cone . Localizes mainly in the nucleus during interphase although it is also detected in the cytoplasm without clear association with microtubules (PubMed:12740395). Localized to the central spindle during cytokinetic furrowing and with the midbody during abscission (PubMed:12740395, PubMed:17409436). A 2-3 fold expression increase is seen as cells progress from G1 to G2/M phase (PubMed:12740395). During prophase and metaphase it is found throughout the cytoplasm and at anaphase accumulates at the midplan of the cell and forms a distinct
Tissue Specificity	Brain, ovary, kidney and testis (at protein level) (PubMed:12740395). Overexpressed in bladder cancer cells (at protein level) (PubMed:17409436).

Nanjing BYabscience technology Co.,Ltd



Expressed in testis. Overexpressed in bladder cancer cells (PubMed:17409436).

Function	M phase of mitotic cell cycle, mitotic cell cycle, M phase, nuclear division, microtubule-based process, microtubule-based movement, cell cycle, cell cycle arrest, mitosis, regulation of mitosis, regulation of mitotic cell cycle, regulation of cell cycle process, cell cycle process, cell cycle phase, regulation of organelle organization, organelle fission, cell division, regulation of cell cycle, regulation of nuclear division,
Background	KIF20B (Kinesin Family Member 20B) is a Protein Coding gene. Among its related pathways are Golgi-to-ER retrograde transport and Factors involved in megakaryocyte development and platelet production. GO annotations related to this gene include ATPase activity and microtubule motor activity. An important paralog of this gene is KIF23.
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Nanjing BYabscience technology Co.,Ltd


网址: www.njbybio.com

官方热线: 025-5229-8998


监督电话: 15950492658



Products Images



Western blot analysis of KIF20B Antibody. The lane on the right is blocked with the KIF20B peptide.



Immunohistochemical analysis of paraffin-embedded human Squamous cell carcinoma of lung. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

Nanjing BYabs science technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658