



PI 3 Kinase p100 Rabbit mAb

Catalog No	BYab-17850
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB,IHC-P
Gene Name	PIK3C3
Alternative Names	Phosphatidylinositol 3-kinase catalytic subunit type 3 (EC:2.7.1.137); PI3-kinase type 3; PI3K type 3; PtdIns-3-kinase type 3; Phosphatidylinositol 3-kinase p100 subunit; Phosphoinositide-3-kinase class 3; hVps34; PIK3C3
Research Field	Signal Transduction
Product Categories	Primary antibody
Host	Rabbit
Molecular Weight	Calculated MW: 102 kDa; Observed MW: 102 kDa
Clonality	Monoclonal Antibody
Clonality No.	R02-7D7
Dilution	WB: 1/500-1/1000 IHC: 1/50-1/100
Immunogen	A synthesized peptide derived from human PI 3 Kinase Class 3
Purification	Affinity Chromatography
Conjugation	Unconjugated
Modification	Unmodified
Form	Liquid
Buffer System	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1 mg/ml
Purity	≥90%
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Background	Catalytic subunit of the PI3K complex that mediates formation of phosphatidylinositol 3-phosphate. Involved in the transport of lysosomal enzyme precursors to lysosomes. Required for the abscission step in cytokinesis.

Nanjing BYabscience technology Co.,Ltd



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Nanjing BYabscience technology Co.,Ltd



网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658



Products Images



Nanjing BYabscience technology Co.,Ltd