



ATF-7 Monoclonal Antibody


Catalog No	BYmab-01557
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	ATF7
Protein Name	Cyclic AMP-dependent transcription factor ATF-7
Immunogen	The antiserum was produced against synthesized peptide derived from human ATF7. AA range:41-90
Specificity	ATF-7 Monoclonal Antibody detects endogenous levels of ATF-7 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	ATF7; ATFA; Cyclic AMP-dependent transcription factor ATF-7; cAMP-dependent transcription factor ATF-7; Activating transcription factor 7; Transcription factor ATF-A
Observed Band	52kD
Cell Pathway	Nucleus . Nucleus, nucleoplasm . Chromosome, telomere . Mainly nucleoplasmic. Restricted distribution to the perinuclear region. The sumoylated form locates to the nuclear periphery.; [Isoform 5]: Cytoplasm .
Tissue Specificity	Expressed in various tissues including heart, brain, placenta, lung and skeletal muscle. Highest levels in skeletal muscle. Lowest in lung and placenta. ; [Isoform 4]: Strongly expressed in skeletal muscle. Also expressed at lower levels in heart and lung.
Function	function: Binds the cAMP response element (CRE) (consensus: 5'-GTGACGT[AG][AG]-3'), a sequence present in many viral and cellular promoters.; similarity: Belongs to the bZIP family.; similarity: Contains 1 bZIP domain.; similarity: Contains 1 C2H2-type zinc finger.; subunit: Binds DNA as a dimer.;

Nanjing BYabscience technology Co.,Ltd



Background	function: Binds the cAMP response element (CRE) (consensus: 5'-GTGACGT[AG][AG]-3'), a sequence present in many viral and cellular promoters., similarity: Belongs to the bZIP family., similarity: Contains 1 bZIP domain., similarity: Contains 1 C2H2-type zinc finger., subunit: Binds DNA as a dimer.,
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using ATF-7 Monoclonal Antibody