



FBP3 Monoclonal Antibody

| Catalog NoBYmab-01708IsotypeIgGReactivityHuman;Mouse;RatApplicationsWBGene NameFUBP3 | |
|---|--------------------|
| Reactivity Human;Mouse;Rat Applications WB | |
| Applications WB | |
| PP | |
| Gene Name FUBP3 | |
| | |
| Protein Name Far upstream element-binding protein 3 | |
| Immunogen The antiserum was produced against synthesized peptide deriv | ved from human |
| Specificity FBP3 Monoclonal Antibody detects endogenous levels of FBP3 | 3 protein. |
| Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% s | odium azide. |
| Source Monoclonal, Mouse,IgG | |
| Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. | |
| Dilution WB 1:500-2000 | |
| Concentration 1 mg/ml | |
| Purity ≥90% | |
| Storage Stability -20°C/1 year | |
| Synonyms FUBP3; FBP3; Far upstream element-binding protein 3; FUSE | -binding protein 3 |
| Observed Band 60kD | |
| Cell Pathway Nucleus . | |
| Tissue Specificity Detected in a number of cell lines. | |
| Function function:May interact with single-stranded DNA from the far-up (FUSE). May activate gene expression.,PTM:Phosphorylated uprobably by ATM or ATR.,similarity:Contains 4 KH domains.,tis specificity:Detected in a number of cell lines., | ipon DNA damage, |
| function:May interact with single-stranded DNA from the far-up (FUSE). May activate gene expression.,PTM:Phosphorylated uprobably by ATM or ATR.,similarity:Contains 4 KH domains.,tis specificity:Detected in a number of cell lines., | ipon DNA damage, |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using FBP3 Monoclonal Antibody