



LMO4 Monoclonal Antibody

Catalog No	BYmab-01847
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	LMO4
Protein Name	LIM domain transcription factor LMO4
Immunogen	The antiserum was produced against synthesized peptide derived from human LMO4. AA range:116-165
Specificity	LMO4 Monoclonal Antibody detects endogenous levels of LMO4 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	LMO4; LIM domain transcription factor LMO4; Breast tumor autoantigen; LIM domain only protein 4; LMO-4
Observed Band	44kD
Cell Pathway	transcription factor complex,cell leading edge,
Tissue Specificity	Eye,Lung,Mammary tumor,PNS,
Function	function:Probable transcriptional factor.,similarity:Contains 2 LIM zinc-binding domains.,subunit:Interacts strongly with LDBS. Interacts with DEAF1, CLIM1 and CLIM2.,
Background	LIM domain only 4(LMO4) Homo sapiens This gene encodes a cysteine-rich protein that contains two LIM domains but lacks a DNA-binding homeodomain. The encoded protein may play a role as a transcriptional regulator or as an oncogene. [provided by RefSeq, Aug 2008],

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658




matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using LMO4 Monoclonal Antibody