



## NRIP3 Monoclonal Antibody

Catalog No         BYmab-01919           Isotype         IgG           Reactivity         Human;Mouse           Applications         WB           Gene Name         NRIP3           Protein Name         Nuclear receptor-interacting protein 3           Immunogen         The antiserum was produced against synthesized peptide derived from human NRIP3. AA range:192-241           Specificity         NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein.           Formulation         Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.           Source         Monoclonal, Mouse, IgG           Purification         The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.           Dilution         WB 1:500-2000           Concentration         1 mg/ml           Purity         ≥90%           Storage Stability         -20°C/1 year           Synonyms         NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105           Observed Band         27kD           Cell Pathway         Uterus,           Function         proteolysis,           Background         NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GGO) annotations related to NRIP3 include aspartic-type endopeptidase activity.		
Reactivity Human; Mouse  Applications WB  Gene Name NRIP3  Protein Name Nuclear receptor-interacting protein 3  Immunogen The antiserum was produced against synthesized peptide derived from human NRIP3. AA range:192-241  Specificity NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105  Observed Band 27kD  Cell Pathway  Tissue Specificity Uterus,  Function proteolysis,  Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Catalog No	BYmab-01919
Applications WB Gene Name NRIP3 Protein Name Nuclear receptor-interacting protein 3 Immunogen The antiserum was produced against synthesized peptide derived from human NRIP3. AA range:192-241 Specificity NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105 Observed Band 27kD Cell Pathway Tissue Specificity Uterus, Function proteolysis, Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Isotype	IgG
Gene Name         NRIP3           Protein Name         Nuclear receptor-interacting protein 3           Immunogen         The antiserum was produced against synthesized peptide derived from human NRIP3. AA range:192-241           Specificity         NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein.           Formulation         Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.           Source         Monoclonal, Mouse,lgG           Purification         The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.           Dilution         WB 1:500-2000           Concentration         1 mg/ml           Purity         ≥90%           Storage Stability         -20°C/1 year           Synonyms         NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105           Observed Band         27kD           Cell Pathway         Uterus,           Function         proteolysis,           Background         NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Reactivity	Human;Mouse
Protein Name       Nuclear receptor-interacting protein 3         Immunogen       The antiserum was produced against synthesized peptide derived from human NRIP3. AA range:192-241         Specificity       NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse, IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105         Observed Band       27kD         Cell Pathway         Tissue Specificity       Uterus,         Function       proteolysis,         Background       Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Applications	WB
Immunogen       The antiserum was produced against synthesized peptide derived from human NRIP3. AA range:192-241         Specificity       NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse, IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105         Observed Band       27kD         Cell Pathway       Uterus,         Function       proteolysis,         Background       NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Gene Name	NRIP3
Specificity       NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein.         Formulation       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Source       Monoclonal, Mouse, IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105         Observed Band       27kD         Cell Pathway       Uterus,         Function       proteolysis,         Background       NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Protein Name	Nuclear receptor-interacting protein 3
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Monoclonal, Mouse, IgG  Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105  Observed Band 27kD  Cell Pathway  Tissue Specificity Uterus, Function proteolysis,  Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Immunogen	
Source       Monoclonal, Mouse, IgG         Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105         Observed Band       27kD         Cell Pathway         Tissue Specificity       Uterus,         Function       proteolysis,         Background       NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Specificity	NRIP3 Monoclonal Antibody detects endogenous levels of NRIP3 protein.
Purification       The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       WB 1:500-2000         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105         Observed Band       27kD         Cell Pathway         Tissue Specificity       Uterus,         Function       proteolysis,         Background       NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen.  Dilution WB 1:500-2000  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105  Observed Band 27kD  Cell Pathway  Tissue Specificity Uterus,  Function proteolysis,  Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Source	Monoclonal, Mouse,IgG
Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105         Observed Band       27kD         Cell Pathway         Tissue Specificity       Uterus,         Function       proteolysis,         Background       NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Purification	
Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105         Observed Band       27kD         Cell Pathway         Tissue Specificity       Uterus,         Function       proteolysis,         Background       NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Dilution	WB 1:500-2000
Storage Stability -20°C/1 year  Synonyms NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105  Observed Band 27kD  Cell Pathway  Tissue Specificity Uterus,  Function proteolysis,  Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Concentration	1 mg/ml
Synonyms  NRIP3; C11orf14; Nuclear receptor-interacting protein 3; Sarcoma antigen NY-SAR-105  Observed Band  27kD  Cell Pathway  Tissue Specificity  Uterus,  Function  proteolysis,  Background  NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Purity	≥90%
Observed Band 27kD  Cell Pathway  Tissue Specificity Uterus,  Function proteolysis,  Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Storage Stability	-20°C/1 year
Cell Pathway  Tissue Specificity  Uterus,  Function  proteolysis,  Background  NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Synonyms	·
Tissue Specificity Uterus,  Function proteolysis,  Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Observed Band	27kD
Function proteolysis,  Background NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Cell Pathway	
Background  NRIP3 (Nuclear Receptor Interacting Protein 3) is a Protein Coding gene. Gene Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Tissue Specificity	Uterus,
Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase activity. An important paralog of NRIP3 is NRIP2.	Function	proteolysis,
matters needing Avoid repeated freezing and thawing! attention	Background	Ontology (GO) annotations related to NRIP3 include aspartic-type endopeptidase
	matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658








**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using NRIP3 Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd