



TBPL2 Monoclonal Antibody

Catalog No	BYmab-02075
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	TBPL2
Protein Name	TATA box-binding protein-like protein 2
Immunogen	The antiserum was produced against synthesized peptide derived from human TBPL2. AA range:81-130
Specificity	TBPL2 Monoclonal Antibody detects endogenous levels of TBPL2 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	TBPL2; TBP2; TRF3; TATA box-binding protein-like protein 2; TBP-like protein 2; TATA box-binding protein-related factor 3; TBP-related factor 3
Observed Band	41kD
Cell Pathway	Cytoplasm . Nucleus . Present in the cytoplasm during cytokinesis. .
Tissue Specificity	Ubiquitously expressed in all tissues examined with highest levels in heart, lung, ovary, spleen and testes.
Function	function:Transcription factor required in complex with TAF3 for the differentiation of myoblasts into myocytes. The complex replaces TFIID at specific promoters at an early stage in the differentiation process.,similarity:Belongs to the TBP family.,subcellular location:Present in the cytoplasm during cytokinesis.,subunit:Interacts with TAF3.,tissue specificity:Ubiquitously expressed in all tissues examined with highest levels in heart, lung, ovary, spleen and testes.,
Background	function:Transcription factor required in complex with TAF3 for the differentiation of myoblasts into myocytes. The complex replaces TFIID at specific promoters at

Nanjing BYabscience technology Co.,Ltd



an early stage in the differentiation process.,similarity:Belongs to the TBP family.,subcellular location:Present in the cytoplasm during cytokinesis.,subunit:Interacts with TAF3.,tissue specificity:Ubiquitously expressed in all tissues examined with highest levels in heart, lung, ovary, spleen and testes.,


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using TBPL2 Monoclonal Antibody