




TCEAL6 Monoclonal Antibody

| Catalog No | BYmab-02087 |
|---------------------------|--|
| Isotype | IgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB |
| Gene Name | TCEAL6 |
| Protein Name | Transcription elongation factor A protein-like 6 |
| Immunogen | The antiserum was produced against synthesized peptide derived from human TCEAL6. AA range:61-110 |
| Specificity | TCEAL6 Monoclonal Antibody detects endogenous levels of TCEAL6 protein. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | TCEAL6; Transcription elongation factor A protein-like 6; TCEA-like protein 6; Transcription elongation factor S-II protein-like 6 |
| Observed Band | 25kD |
| Cell Pathway | Nucleus . |
| Tissue Specificity | Brain, |
| Function | function:May be involved in transcriptional regulation.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the TFS-II family. TFA subfamily., |
| Background | function:May be involved in transcriptional regulation.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the TFS-II family. TFA subfamily., |
| matters needing attention | Avoid repeated freezing and thawing! |
| | |

Nanjing BYabscience technology Co.,Ltd








Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using TCEAL6 Monoclonal Antibody