



## **ZBTB40 Monoclonal Antibody**

Catalog No	BYmab-02163
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	ZBTB40
Protein Name	Zinc finger and BTB domain-containing protein 40
Immunogen	The antiserum was produced against synthesized peptide derived from human ZBTB40. AA range:1121-1170
Specificity	ZBTB40 Monoclonal Antibody detects endogenous levels of ZBTB40 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	ZBTB40; KIAA0478; Zinc finger and BTB domain-containing protein 40
Observed Band	140kD
Cell Pathway	Nucleus .
Tissue Specificity	Brain, Epithelium, PCR rescued clones, Tongue,
Function	function:May be involved in transcriptional regulation.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 BTB (POZ) domain.,similarity:Contains 12 C2H2-type zinc fingers.,
Background	function:May be involved in transcriptional regulation.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 BTB (POZ) domain.,similarity:Contains 12 C2H2-type zinc fingers.,

Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务, 欢迎咨询




matters needing attention

Avoid repeated freezing and thawing!

**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using ZBTB40 Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd