



Calpain 2 (Phospho Ser50) mouse mAb

Catalog No	BYmab-02437
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	CAPN2 CANPL2
Protein Name	Calpain 2 (Phospho Ser50)
Immunogen	Synthesized peptide derived from human Calpain 2 (Phospho Ser50)
Specificity	This antibody detects endogenous levels of Human,Mouse,Rat Calpain 2 (Phospho Ser50)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Calpain-2 catalytic subunit (EC 3.4.22.53;Calcium-activated neutral proteinase 2;CANP 2;Calpain M-type;Calpain large polypeptide L2;Calpain-2 large subunit;Millimolar-calpain;M-calpain)
Observed Band	69kD
Cell Pathway	Cytoplasm. Cell membrane. Translocates to the plasma membrane upon Ca(2+) binding.
Tissue Specificity	Ubiquitous.
Function	catalytic activity:Broad endopeptidase specificity.,cofactor:Binds 3 calcium ions.,enzyme regulation:Activated by 200-1000 micromolar concentrations of calcium and inhibited by calpastatin.,function:Calcium-regulated non-lysosomal thiol-protease which catalyze limited proteolysis of substrates involved in cytoskeletal remodeling and signal transduction.,sequence caution:Contaminating sequence. Potential poly-A sequence.,similarity:Belongs to the peptidase C2 family.,similarity:Contains 1 calpain catalytic domain.,similarity:Contains 3 EF-hand domains.,subcellular location:Translocates to the plasma membrane upon Ca(2+) binding.,subunit:Forms a heterodimer with a small (regulatory)

Nanjing BYabscience technology Co.,Ltd



subunit (CAPNS1).,tissue specificity:Ubiquitous.,

Background

The calpains, calcium-activated neutral proteases, are nonlysosomal, intracellular cysteine proteases. The mammalian calpains include ubiquitous, stomach-specific, and muscle-specific proteins. The ubiquitous enzymes consist of heterodimers with distinct large, catalytic subunits associated with a common small, regulatory subunit. This gene encodes the large subunit of the ubiquitous enzyme, calpain 2. Multiple heterogeneous transcriptional start sites in the 5' UTR have been reported. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2009],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Calpain 2 (Phospho Ser50) mouse mAb

Nanjing BYabscience technology Co.,Ltd