



## Calpain 9 Monoclonal Antibody

Catalog No	BYmab-02523
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	CAPN9
Protein Name	Calpain-9
Immunogen	The antiserum was produced against synthesized peptide derived from human CAPN9. AA range:481-530
Specificity	Calpain 9 Monoclonal Antibody detects endogenous levels of Calpain 9 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	CAPN9; NCL4; Calpain-9; Digestive tract-specific calpain; New calpain 4; nCL-4; Protein CG36
Observed Band	75kD
Cell Pathway	intracellular,cytoplasm,
Tissue Specificity	Expressed predominantly in stomach.
Function	catalytic activity:Broad endopeptidase specificity.,function:Calcium-regulated non-lysosomal thiol-protease.,induction:Down-regulated in gastric cancer tissue and in gastric cell lines of differentiated and poorly differentiated types.,similarity:Belongs to the peptidase C2 family.,similarity:Contains 1 calpain catalytic domain.,similarity:Contains 3 EF-hand domains.,tissue specificity:Expressed predominantly in stomach.,
Background	Calpains are ubiquitous, well-conserved family of calcium-dependent, cysteine proteases. The calpain proteins are heterodimers consisting of an invariant small subunit and variable large subunits. The large subunit possesses a cysteine protease domain, and both subunits possess calcium-binding domains. Calpains
	Nanjing Byabscience technology Co. Ltd

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



have been implicated in neurodegenerative processes, as their activation can be
triggered by calcium influx and oxidative stress. The protein encoded by this gene
is expressed predominantly in stomach and small intestine and may have
specialized functions in the digestive tract. This gene is thought to be associated
with gastric cancer. Multiple alternatively spliced transcript variants encoding
different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of various cells using Calpain 9 Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd