



GM2/GD2 synthase Monoclonal Antibody

Catalog No	BYmab-02645
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	B4GALNT1
Protein Name	Beta-1,4 N-acetylgalactosaminyltransferase 1
Immunogen	The antiserum was produced against synthesized peptide derived from human B4GALNT1. AA range:281-330
Specificity	GM2/GD2 synthase Monoclonal Antibody detects endogenous levels of GM2/GD2 synthase protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	B4GALNT1; GALGT; SIAT2; Beta-1; 4 N-acetylgalactosaminyltransferase 1; (N-acetylneuraminyl)-galactosylglucosylceramide; GM2/GD2 synthase; GalNAc-T
Observed Band	60kD
Cell Pathway	Golgi apparatus membrane ; Single-pass type II membrane protein .
Tissue Specificity	Brain,
Function	catalytic activity:UDP-N-acetyl-D-galactosamine + 1-O-(O-(N-acetyl-alpha-neuraminosyl)-(2->3)-O-beta-D-galactopyranosyl-(1->4)-beta-D-glucopyranosyl)-ceramide = UDP + 1-O-(O-2-(acetylamino)-2-deoxy-beta-D-galactopyranosyl-(1->4)-O-(N-acetyl-alpha-neuraminosyl-(2->3))-O-beta-D-galactopyranosyl-(1->4)-beta-D-glucopyranosyl)-ceramide.,function:Involved in the biosynthesis of gangliosides GM2, GD2 and GA2.,online information:Beta-1,4 N-acetylgalactosaminyltransferase 1,online information:GlycoGene database,pathway:Protein modification; protein glycosylation.,similarity:Belongs to the glycosyltransferase 2
	family.,subunit:Homodimer; disulfide-linked.,

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Background	beta-1,4-N-acetyl-galactosaminyltransferase 1(B4GALNT1) Homo sapiens GM2 and GD2 gangliosides are sialic acid-containing glycosphingolipids. GalNAc-T is the enzyme involved in the biosynthesis of G(M2) and G(D2) glycosphingolipids. GalNAc-T catalyzes the transfer of GalNAc into G(M3) and G(D3) by a beta-1,4 linkage, resulting in the synthesis of G(M2) and G(D2), respectively. Three transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Feb 2013],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using GM2/GD2 synthase Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658