



RABEK mouse mAb

Catalog No	BYmab-12331
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	RABEPK RAB9P40
Protein Name	RABEK
Immunogen	Synthesized peptide derived from human RABEK AA range: 227-277
Specificity	This antibody detects endogenous levels of RABEK at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Cytoplasm. Endosome membrane . Interaction with PIKFYVE and subsequent phosphorylation recruits it to the endosomal membrane
	Cytoplasm. Endosome membrane . Interaction with PIKFYVE and subsequent phosphorylation recruits it to the endosomal membrane
Cell Pathway	Cytoplasm. Endosome membrane . Interaction with PIKFYVE and subsequent phosphorylation recruits it to the endosomal membrane function:Rab9 effector required for endosome to trans-Golgi network (TGN) transport.,PTM:Phosphorylated on Ser residues most probably by PIP5K3.,similarity:Contains 5 Kelch repeats.,subcellular location:Interaction with PIP5K3 and subsequent phosphorylation recruits it to the endosomal membrane.,subunit:Interacts with PIP5K3. Interacts with RAB9 in its GTP-bound conformation.,
Cell Pathway Tissue Specificity	function:Rab9 effector required for endosome to trans-Golgi network (TGN) transport.,PTM:Phosphorylated on Ser residues most probably by PIP5K3.,similarity:Contains 5 Kelch repeats.,subcellular location:Interaction with PIP5K3 and subsequent phosphorylation recruits it to the endosomal membrane.,subunit:Interacts with PIP5K3. Interacts with RAB9 in its GTP-bound
Cell Pathway Tissue Specificity Function	function:Rab9 effector required for endosome to trans-Golgi network (TGN) transport.,PTM:Phosphorylated on Ser residues most probably by PIP5K3.,similarity:Contains 5 Kelch repeats.,subcellular location:Interaction with PIP5K3 and subsequent phosphorylation recruits it to the endosomal membrane.,subunit:Interacts with PIP5K3. Interacts with RAB9 in its GTP-bound

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务, 欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western Blot analysis of various cells using RABEK mouse mAb

Nanjing BYabscience technology Co.,Ltd