




PP2Ск Monoclonal Antibody

Catalog No	BYmab-14953
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	PPM1K
Protein Name	Protein phosphatase 1K mitochondrial
Immunogen	The antiserum was produced against synthesized peptide derived from human PPM1K. AA range:205-254
Specificity	PP2C κ Monoclonal Antibody detects endogenous levels of PP2C κ protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	PPM1K; PP2CM; Protein phosphatase 1K; mitochondrial; PP2C domain-containing protein phosphatase 1K; PP2C-like mitochondrial protein; PP2C-type mitochondrial phosphoprotein phosphatase; PTMP; Protein phosphatase 2C isoform kappa; PP2C-kappa
Observed Band	45kD
Cell Pathway	Mitochondrion matrix .
Tissue Specificity	Amygdala,Cerebellum,Lymph node,Pancreas,Testis,
Function	catalytic activity:A phosphoprotein + H(2)O = a protein + phosphate.,caution:Ref.9 has crystallized PPM1K in the presence of magnesium ions. However, PubMed:17336929 reported that no activity toward p-nitrophenylphosphate was seen in the absence of manganese ions and magnesium could not subsitute for manganese.,cofactor:Binds 1 magnesium or manganese ion per subunit.,function:Regulates the mitochondrial permeability transition pore and is essential for cellular survival and development.,similarity:Belongs to the PP2C

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658







family., similarity: Contains 1 PP2C-like domain.,
--

Background	This gene encodes a member of the PPM family of Mn2+/Mg2+-dependent
•	protein phosphatases. The encoded protein, essential for cell survival and
	development, is targeted to the mitochondria where it plays a key role in
	regulation of the mitechandrial normaphility transition here. Inrovided by Defead

regulation of the mitochondrial permeability transition pore. [provided by RefSeq,


Sep 2012],

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using PP2C K Monoclonal Antibody

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658