



# RBM39 mouse mAb

<b>Catalog No</b>	BYmab-17984
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse
<b>Applications</b>	WB
<b>Gene Name</b>	RBM39 HCC1 RNPC2
<b>Protein Name</b>	RNA-binding protein 39 (Hepatocellular carcinoma protein 1) (RNA-binding motif protein 39) (RNA-binding region-containing protein 2) (Splicing factor HCC1)
<b>Immunogen</b>	Synthesized peptide derived from human RBM39
<b>Specificity</b>	This antibody detects endogenous levels of RBM39 at Human, Mouse
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Monoclonal, Mouse,IgG
<b>Purification</b>	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	WB 1:500-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	58kD
<b>Cell Pathway</b>	Nucleus speckle . Concentrated in nuclear speckles (PubMed:8227358). Colocalizes with the core spliceosomal snRNP proteins (PubMed:8227358). .
<b>Tissue Specificity</b>	Widely expressed. Highly expressed in pancreas, skeletal muscle, lung and brain (PubMed:8227358). Expressed at intermediate level in kidney, liver and heart (PubMed:8227358).
<b>Function</b>	RNA-binding protein that acts as a pre-mRNA splicing factor . Acts by promoting exon inclusion via regulation of exon cassette splicing . Also acts as a transcriptional coactivator for steroid nuclear receptors ESR1/ER-alpha and ESR2/ER-beta, and JUN/AP-1, independently of the pre-mRNA splicing factor activity (By similarity).
<b>Background</b>	

**Nanjing BYabscience technology Co.,Ltd**

网址: [www.njbybio.com](http://www.njbybio.com)

官方热线: 025-5229-8998

监督电话: 15950492658



**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images