



SLC10A7 Polyclonal Antibody

Catalog No	BYab-20538
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB;ELISA;IHC
Gene Name	SLC10A7
Protein Name	Sodium/bile acid cotransporter 7
Immunogen	The antiserum was produced against synthesized peptide derived from human SLC10A7. AA range:168-217
Specificity	SLC10A7 Polyclonal Antibody detects endogenous levels of SLC10A7 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000;IHC-p 1:50-300; ELISA 2000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	SLC10A7; C4orf13; P7; PSEC0051; Sodium/bile acid cotransporter 7; Na(+)/bile acid cotransporter 7; Solute carrier family 10 member 7
Observed Band	39kD
Cell Pathway	Cell membrane ; Multi-pass membrane protein . Endoplasmic reticulum membrane ; Multi-pass membrane protein . Golgi apparatus membrane .
Tissue Specificity	Widely expressed (PubMed:15932064, PubMed:17628207). Expressed at high levels in liver and at lower levels in prostate, placenta, kidney, heart, lung, thymus and spleen (PubMed:15932064, PubMed:17628207). Strongly expressed in testis and also detected in brain, ovary, colon and small intestine (PubMed:17628207). Weakly expressed in testis and not detected in brain, ovary, colon or small intestine (PubMed:15932064). Isoform 1: Expressed in liver, testis and placenta (PubMed:17628207). Isoform 4: Expressed in liver, testis and placenta (PubMed:17628207).
Function	similarity:Belongs to the sodium:bile acid symporter family.,

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998


监督电话: 15950492658




Background	similarity:Belongs to the sodium:bile acid symporter family.,
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.




Products Images



Western blot analysis of lysates from mouse liver, using SLC10A7 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from 293 cells using SLC10A7 antibody.



Immunohistochemical analysis of paraffin-embedded human oophoroma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

Nanjing BYabs science technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658