



# Syndecan-4 Polyclonal Antibody

|                           |                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Catalog No</b>         | BYab-20554                                                                                                                                                                                                                                                                                                                                                 |
| <b>Isotype</b>            | IgG                                                                                                                                                                                                                                                                                                                                                        |
| <b>Reactivity</b>         | Human;Mouse;Rat                                                                                                                                                                                                                                                                                                                                            |
| <b>Applications</b>       | WB;IHC;IF;ELISA                                                                                                                                                                                                                                                                                                                                            |
| <b>Gene Name</b>          | SDC4                                                                                                                                                                                                                                                                                                                                                       |
| <b>Protein Name</b>       | Syndecan-4                                                                                                                                                                                                                                                                                                                                                 |
| <b>Immunogen</b>          | The antiserum was produced against synthesized peptide derived from human Syndecan4. AA range:145-194                                                                                                                                                                                                                                                      |
| <b>Specificity</b>        | Syndecan-4 Polyclonal Antibody detects endogenous levels of Syndecan-4 protein.                                                                                                                                                                                                                                                                            |
| <b>Formulation</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.                                                                                                                                                                                                                                                                                    |
| <b>Source</b>             | Polyclonal, Rabbit,IgG                                                                                                                                                                                                                                                                                                                                     |
| <b>Purification</b>       | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.                                                                                                                                                                                                                                      |
| <b>Dilution</b>           | Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.                                                                                                                                                                                               |
| <b>Concentration</b>      | 1 mg/ml                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purity</b>             | ≥90%                                                                                                                                                                                                                                                                                                                                                       |
| <b>Storage Stability</b>  | -20°C/1 year                                                                                                                                                                                                                                                                                                                                               |
| <b>Synonyms</b>           | SDC4; Syndecan-4; SYND4; Amphiglycan; Ryudocan core protein                                                                                                                                                                                                                                                                                                |
| <b>Observed Band</b>      | 22kD                                                                                                                                                                                                                                                                                                                                                       |
| <b>Cell Pathway</b>       | [Isoform 1]: Membrane ; Single-pass type I membrane protein . Secreted . Shedding of the ectodomain produces a soluble form. .; [Isoform 2]: Secreted.                                                                                                                                                                                                     |
| <b>Tissue Specificity</b> | Expressed in epithelial and fibroblastic cells.                                                                                                                                                                                                                                                                                                            |
| <b>Function</b>           | function:Cell surface proteoglycan that bears heparan sulfate.,function:Cell surface proteoglycan.,similarity:Belongs to the syndecan proteoglycan family.,subunit:Homodimer. Interacts with CDCP1, with GIPC PDZ domain and with NUDT16L1/SDOS (By similarity). Interacts with SDCBP.,tissue specificity:Expressed in epithelial and fibroblastic cells., |
| <b>Background</b>         | The protein encoded by this gene is a transmembrane (type I) heparan sulfate proteoglycan that functions as a receptor in intracellular signaling. The encoded protein is found as a homodimer and is a member of the syndecan proteoglycan family. This gene is found on chromosome 20, while a pseudogene has been                                       |

**Nanjing BYabscience technology Co.,Ltd**



found on chromosome 22. [provided by RefSeq, Jul 2008],


#### matters needing attention

Avoid repeated freezing and thawing!


#### Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.


## Products Images



Western Blot analysis of HepG2 cells using Syndecan-4 Polyclonal Antibody



Immunofluorescence analysis of HeLa cells, using Syndecan4 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using Syndecan4 Antibody. The picture on the right is blocked with the synthesized peptide.

**Nanjing BYabs science technology Co.,Ltd**

网址: [www.njbybio.com](http://www.njbybio.com)

官方热线: 025-5229-8998

监督电话: 15950492658

