



ADA33 Polyclonal Antibody

Catalog No	BYab-21502
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	ADAM33 C20orf153 UNQ873/PRO1891
Protein Name	Disintegrin and metalloproteinase domain-containing protein 33 (ADAM 33) (EC 3.4.24.-)
Immunogen	Synthesized peptide derived from human protein . at AA range: 200-280
Specificity	ADA33 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	89kD
Cell Pathway	Membrane; Single-pass type I membrane protein.
Tissue Specificity	Expressed in all tissues, except liver, with high expression in placenta, lung, spleen and veins.
Function	cofactor: Binds 1 zinc ion per subunit.,disease: Defects in ADAM33 may be a cause of susceptibility to asthma.,domain: The conserved cysteine present in the cysteine-switch motif binds the catalytic zinc ion, thus inhibiting the enzyme. The dissociation of the cysteine from the zinc ion upon the activation-peptide release activates the enzyme.,PTM: The precursor is cleaved by a furin endopeptidase.,similarity: Contains 1 disintegrin domain.,similarity: Contains 1 EGF-like domain.,similarity: Contains 1 peptidase M12B domain.,tissue specificity: Expressed in all tissues, except liver, with high expression in placenta, lung, spleen and veins.,
Background	ADAM metalloproteinase domain 33(ADAM33) Homo sapiens This gene encodes a member of the ADAM (a disintegrin and metalloprotease domain)

Nanjing BYabscience technology Co.,Ltd



family. Members of this family are membrane-anchored proteins structurally related to snake venom disintegrins, and have been implicated in a variety of biological processes involving cell-cell and cell-matrix interactions, including fertilization, muscle development, and neurogenesis. This protein is a type I transmembrane protein implicated in asthma and bronchial hyperresponsiveness. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Sep 2013],

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658