



AGRIN Polyclonal Antibody

Catalog No	BYab-21514
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB;ELISA
Gene Name	AGRN AGRIN
Protein Name	Agrin
Immunogen	Synthesized peptide derived from human protein . at AA range: 1900-1980
Specificity	AGRIN Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	224kD
Cell Pathway	[Isoform 1]: Secreted, extracellular space, extracellular matrix . Synaptic basal lamina at the neuromuscular junction. .; [Isoform 2]: Cell junction, synapse . Cell membrane ; Single-pass type II membrane protein .
Tissue Specificity	Expressed in basement membranes of lung and kidney. Muscle- and neuron-specific isoforms are found. Isoforms (y+) with the 4 AA insert and (z+8) isoforms with the 8 AA insert are all neuron-specific. Isoforms (z+11) are found in both neuronal and non-neuronal tissues.
Function	function:Component of the basal lamina that causes the aggregation of acetylcholine receptors and acetylcholine-esterase on the surface of muscle fibers of the neuromuscular junction.,PTM:Contains heparan sulfate chains as well as N-linked and O-linked oligosaccharides.,similarity:Contains 1 NtA (N-terminal agrin) domain.,similarity:Contains 1 SEA domain.,similarity:Contains 2 laminin EGF-like domains.,similarity:Contains 3 laminin G-like domains.,similarity:Contains 4 EGF-like domains.,similarity:Contains 9 Kazal-like domains.,subcellular location:Synaptic basal lamina at the neuromuscular

Nanjing BYabscience technology Co.,Ltd



junction.,subunit: Binds to laminin.,

Background

This gene encodes one of several proteins that are critical in the development of the neuromuscular junction (NMJ), as identified in mouse knock-out studies. The encoded protein contains several laminin G, Kazal type serine protease inhibitor, and epidermal growth factor domains. Additional post-translational modifications occur to add glycosaminoglycans and disulfide bonds. In one family with congenital myasthenic syndrome affecting limb-girdle muscles, a mutation in this gene was found. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Mar 2015],

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658