



GNB1L Polyclonal Antibody

Catalog No	BYab-23985
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	GNB1L GY2 KIAA1645 WDR14 FKSG1
Protein Name	Guanine nucleotide-binding protein subunit beta-like protein 1 (G protein subunit beta-like protein 1) (DGCRK3) (WD repeat-containing protein 14) (WD40 repeat-containing protein deleted in VCFS) (WDVC
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	GNB1L Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	35kD
Cell Pathway	cytoplasm,cytoplasmic side of plasma membrane,
Tissue Specificity	Ubiquitous. Highly expressed in heart, liver, skeletal muscle, kidney, spleen, thymus and pancreas. Detected at low levels in lung, placenta and brain.
Function	disease:May play a part in the etiology of the velocardiofacial/DiGeorge syndrome (VCFS/DGS), a developmental disorder characterized by structural and functional palate anomalies, conotruncal cardiac malformations, immunodeficiency, hypocalcemia, and typical facial anomalies. Most cases result from a deletion of chromosome 22q11.2 (the DiGeorge syndrome chromosome region, or DGCR).,similarity:Contains 6 WD repeats.,tissue specificity:Ubiquitous. Highly expressed in heart, liver, skeletal muscle, kidney, spleen, thymus and pancreas. Detected at low levels in lung, placenta and brain.,
Background	This gene encodes a G-protein beta-subunit-like polypeptide which is a member of the WD repeat protein family. WD repeats are minimally conserved regions of

Nanjing BYabs science technology Co.,Ltd



approximately 40 amino acids typically bracketed by gly-his and trp-asn (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This protein contains 6 WD repeats and is highly expressed in the heart. The gene maps to the region on chromosome 22q11, which is deleted in DiGeorge syndrome, trisomic in derivative 22 syndrome and tetrasomic in cat-eye syndrome. Therefore, this gene may contribute to the etiology of those disorders. Transcripts from this gene share exons with some transcripts from the C22orf29 gene. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot analysis of lysates from SW480 cells, primary antibody was diluted at 1:1000, 4° over night