



NINL rabbit pAb

Catalog No	BYab-25854
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	NINL KIAA0980 NLP
Protein Name	Ninein-like protein
Immunogen	Synthesized peptide derived from human NINL AA range: 1098-1148
Specificity	This antibody detects endogenous levels of human NINL
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome . Cytoplasm . In interphase cells, NINL is transported to the centrosomes by the dynein-dynactin motor complex (PubMed:16254247). During centrosome maturation, PLK1 directly phosphorylates NINL resulting in its release into the cytoplasm (PubMed:16254247).
Tissue Specificity	Expressed in KYSE-150 esophageal carcinoma, HeLa cervical carcinoma and U2OS osteosarcoma cells. Expression is regulated in a cell cycle-dependent manner and peaks during G2/M phase (at protein level). Expressed in fetal heart, skeletal muscle, liver, lung and cochlea, and in adult brain, testis, kidney and retina.
Function	
Background	

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images