



Urocortin Polyclonal Antibody

Catalog No	BYab-31595
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	IHC;IF;ELISA
Gene Name	UCN
Protein Name	Urocortin
Immunogen	The antiserum was produced against synthesized peptide derived from human Urocortin. AA range:71-120
Specificity	Urocortin Polyclonal Antibody detects endogenous levels of Urocortin protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	IHC: 1/100 - 1/300. ELISA: 1/10000.. IF 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	UCN; Urocortin
Observed Band	
Cell Pathway	Secreted.
Tissue Specificity	Keratinocytes in epidermis and the outer and inner root sheaths of hair follicles, epithelium of sebaceous and sweat glands, erector pili muscle, cutaneous blood vessel walls, cutaneous nerves and dermal mononuclear cells (PubMed:10690896). Detected in plasma cells in the lamia propria in colon mucosa (PubMed:15531481) (at protein level). Expressed in pituitary and adrenal glands (PubMed:10690896). Detected in plasma cells in the lamia propria in colon mucosa (PubMed:15531481).
Function	function:Acts in vitro to stimulate the secretion of adrenocorticotrophic hormone (ACTH). Binds with high affinity to CRF Receptor types 1, 2-alpha, and 2-beta.,similarity:Belongs to the sauvagine/corticotropin-releasing factor/urotensin I family.,

Nanjing BYabscience technology Co.,Ltd



Background

This gene encodes a member of the sauvagine/corticotropin-releasing factor/urotensin I family. The encoded preproprotein is proteolytically processed to generate the mature peptide, an endogenous ligand for both corticotropin-releasing factor receptor 1 and corticotropin-releasing factor receptor 2. In the brain this peptide may be responsible for the effects of stress on appetite. This peptide may also play a role in mood disorders, neurodegeneration, and skeletal system disorders. In spite of the gene family name similarity, the product of this gene has no sequence similarity to urotensin-2. [provided by RefSeq, Feb 2016],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using Urocortin Antibody. The picture on the right is blocked with the synthesized peptide.