



DnaJC17 Polyclonal Antibody

Catalog No	BYab-03817
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	DNAJC17
Protein Name	DnaJ homolog subfamily C member 17
Immunogen	The antiserum was produced against synthesized peptide derived from human DNAJC17. AA range:11-60
Specificity	DnaJC17 Polyclonal Antibody detects endogenous levels of DnaJC17 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	DNAJC17; DnaJ homolog subfamily C member 17
Observed Band	35kD
Cell Pathway	Cytoplasm . Nucleus . Predominantly nuclear. .
Tissue Specificity	Brain,Epithelium,
Function	similarity:Contains 1 J domain.,similarity:Contains 1 RRM (RNA recognition motif) domain.,
Background	similarity:Contains 1 J domain.,similarity:Contains 1 RRM (RNA recognition motif) domain.,
matters needing attention	Avoid repeated freezing and thawing!


Nanjing BYabscience technology Co.,Ltd




Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot analysis of DNAJC17 Antibody. The lane on the right is blocked with the DNAJC17 peptide.



Western blot analysis of the lysates from HepG2 cells using DNAJC17 antibody.

Nanjing BYabscience technology Co.,Ltd



Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

监督电话: 15950492658