



# TNR19 Monoclonal Antibody

<b>Catalog No</b>	BYmab-07145
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse;
<b>Applications</b>	WB
<b>Gene Name</b>	TNFRSF19 TAJ TROY UNQ1888/PRO4333
<b>Protein Name</b>	Tumor necrosis factor receptor superfamily member 19 (TRADE) (Toxicity and JNK inducer)
<b>Immunogen</b>	Synthesized peptide derived from human protein . at AA range: 20-100
<b>Specificity</b>	TNR19 Monoclonal Antibody detects endogenous levels of protein.
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
<b>Source</b>	Monoclonal, Mouse,IgG
<b>Purification</b>	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	WB 1:500-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	46kD
<b>Cell Pathway</b>	Membrane ; Single-pass type I membrane protein .
<b>Tissue Specificity</b>	Highly expressed in prostate. Detected at lower levels in thymus, spleen, testis, uterus, small intestine, colon and peripheral blood leukocytes.
<b>Function</b>	function:Can mediate activation of JNK and NF-kappa-B. May promote caspase-independent cell death.,similarity:Contains 3 TNFR-Cys repeats.,subunit:Associates with TRAF1, TRAF2, TRAF3 and TRAF5. Interacts with LINGO1.,tissue specificity:Highly expressed in prostate. Detected at lower levels in thymus, spleen, testis, uterus, small intestine, colon and peripheral blood leukocytes.,
<b>Background</b>	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is highly expressed during embryonic development. It has been shown to interact with TRAF family members, and to activate JNK signaling pathway when overexpressed in cells. This receptor is caMABLE of inducing apoptosis by a caspase-independent mechanism, and it is thought to play an

**Nanjing BYabscience technology Co.,Ltd**



essential role in embryonic development. Alternatively spliced transcript variants encoding distinct isoforms have been described. [provided by RefSeq, Jul 2008],


**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western Blot analysis of various cells using TNR19 Monoclonal Antibody