



NOCT Polyclonal Antibody

Catalog No	BYab-21214
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB;ELISA
Gene Name	CCRN4L CCR4 NOC
Protein Name	Nocturnin (CCR4 protein homolog)
Immunogen	Synthesized peptide derived from human protein . at AA range: 100-180
Specificity	NOCT Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	47kD
Cell Pathway	Cytoplasm . Nucleus . Cytoplasm, perinuclear region . Mitochondrion .
Tissue Specificity	Adipose tissue. Expression is higher in subcutaneous adipose tissue as compared to visceral adipose tissue.
Function	function:Component of the circadian clock or downstream effector of clock function. Exhibits a high amplitude circadian rhythm with maximal levels in early evening. In constant darkness or constant light, the amplitude of the rhythm decreases.,similarity:Belongs to the CCR4/nocturin family.,
Background	nocturnin(NOCT) Homo sapiens The protein encoded by this gene is highly similar to Nocturnin, a gene identified as a circadian clock regulated gene in Xenopus laevis. This protein and Nocturnin protein share similarity with the C-terminal domain of a yeast transcription factor, carbon catabolite repression 4 (CCR4). The mRNA abundance of a similar gene in mouse has been shown to exhibit circadian rhythmicity, which suggests a role for this protein in clock function or as a circadian clock effector. [provided by RefSeq, Jul 2008],

Nanjing BYabscience technology Co.,Ltd



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

